

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
9 October 2003 (09.10.2003)

PCT

(10) International Publication Number
WO 03/082357 A1(51) International Patent Classification⁷: **A61L 9/12**, 9/012, 9/04

(21) International Application Number: PCT/GB03/01444

(22) International Filing Date: 2 April 2003 (02.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0207516.6 2 April 2002 (02.04.2002) GB(71) Applicant (for all designated States except US):
RECKITT BENCKISER (UK) LIMITED [GB/GB];
103-105 Bath Road, Slough, Berkshire SL1 3UH (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ROBINSON, Paul** [GB/GB]; Reckitt Benckiser plc, Dansom Lane, Hull HU8 7DS (GB). **SMITH, Christopher** [GB/GB]; Reckitt Benckiser plc, Dansom Lane, Hull HU8 7DS (GB).(74) Agents: **MCKNIGHT, John, Crawford et al.**; Reckitt Benckiser plc, Group Patents Department, Dansom Lane, Hull HU8 7DS (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Declarations under Rule 4.17:

as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations of inventorship (Rule 4.17(iv)) for US only

Published:

*with international search report**[Continued on next page]*

(54) Title: AIR FRESHENING OR PURIFYING DEVICE



(57) Abstract: The invention relates to improvements in or relating to containers and in particular to an air freshening or purifying device utilizing a gel fragrance or a gel composition. The air freshening or purifying device comprising a container (11) which is thermoformed from a plastic material, the container having an open side defining a gel receiving surface. The surface has therein a plurality of projections (13) defining recesses (14) therebetween for retaining a gel. The device further comprises a base (12) located at a lower end of the container for supporting the container such that the gel receiving surface is in a substantially vertical orientation.

WO 03/082357 A1



before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

AIR FRESHENING OR PURIFYING DEVICE

The invention relates to improvements in or relating to containers and in particular to an air freshening or
5 purifying device utilizing a gel fragrance or a gel composition.

Many complex air freshening or purifying devices exist which use active or passive dispensation of a fragrance or
10 air purifying composition or a combination of both. GB-A-2354711 describes a dual function dispenser, which incorporates an aerosol, which provides active dispensation, and a passive dispenser in the form of a gel cartridge, which is supported by the aerosol. However, the
15 assembly and replacement of the two dispensers is complex. In addition an impermeable cover is required over a permeable membrane through which the fragrance can be dispersed, when the impermeable cover is removed.

20 US-A-5780527 describes a gel, which can be used as a fragrancing component in an air freshening device. This gel is particularly advantageous in that it can be used in attractively shaped open containers without the need for sealing. One air freshening device, which is currently on
25 the market, comprises an attractive glass open sided container, which is recessed to form a dish with a base and circumferential sidewall. The dish stands upright on a flattened section of its perimeter. A plurality of ridges is provided on the inner surface of the container base
30 defining channels between the ridges, in which the gel is retained. As the fragrance is dissipated over time, the gel shrinks and cracks and is no longer wholly supported by

the ridge walls. To prevent the shrinking gel from falling out of the container, a number of channels are used, which are fairly narrow or have narrow sections.

- 5 It is an object of the present invention to provide an alternative open sided air freshening or purifying device, which is cheap to manufacture and is lightweight.

According to the invention there is therefore provided
10 an air freshening or purifying device comprising a container which is thermoformed from a plastic material, the container having an open side defining a gel receiving surface, which surface has therein a plurality of projections defining recesses therebetween for retaining a
15 gel, said device further comprising a base located at a lower end of the container for supporting the container such that the gel receiving surface is in a substantially vertical orientation.

20 The use of a thermoformable plastic ensures that the device is lightweight and simple and cheap to manufacture. The form of the recesses used for gel retention means that no additional covering is necessary for retaining the gel within the container when it is supported in its vertical
25 orientation. This simplifies the manufacture and use of the device and reduces the cost. The vertical orientation means that the gel, which may be presented in an aesthetic manner, can be easily seen. Furthermore, it lessens the amount of airborne dust, which commonly settles on
30 horizontally supported devices.

Preferably the supporting means comprise a separate base having a slot for receiving at least a portion of the perimeter of the container.

5 Alternatively the supporting means may comprise a base integrally formed with the container and extending from the gel receiving surface.

10 This is particularly advantageous in that the device can be formed in a single thermoforming operation, which can then be filled and sealed using known production line technology.

15 The container is preferably formed with a circumferential rim and the rim preferably has a width greater than the depth of the gel receiving surface.

20 A removable cover is preferably applied to the container to cover the gel receiving surface. The removable cover is preferably a foil material which is heat sealed to the container. Alternatively a plastic laminate could be used for the removable cover.

25 The container is preferably filled with a gel composition, which may be a fragrance, an air purifying composition or an insecticide.

The gel is preferably a gel as described in US-A-5780527.

A preferred embodiment of the present invention will now be described, by way of example only, with reference to the accompanying drawings in which:-

5 Figure 1 is a front elevation of an air freshening device according to the present invention;

Figure 2 is a cross-sectional side elevation of the air freshening device of Figure 1 on the line II-II;

10

Figure 3 is a front elevation of an alternate embodiment of the device of Figures 1 and 2; and

Figure 4 is a cross sectional side elevation of the device of Figure 3 on the line IV-IV.

15

Referring to Figure 1, there is shown an air freshening (or purifying) device 10. The device 10 comprises a container 11 and a supporting base 12, located at the base of the container. The container 11 illustrated is substantially circular, although various other shapes can be used. The container 11 is preferably made from a clear, translucent and/or colored thermoformable plastic material, which is at least partially rigid and liquid impermeable.

25

The container 11 has a gel receiving surface which is preferably provided with a series of projections in the form of ridges 13, defining therebetween recesses in the form of channels 14. The profiles of the ridges 13 and channels 14 are not limited to that illustrated. The container 11 may have a single recess for receiving gel in

30

an otherwise planar surface, although a series of ridges 13 and channels 14 is preferred.

It is preferred, however, that some or part of the channels 14 are reasonably narrow to hold the gel composition with which it will be filled as it shrinks or cracks over time, especially as the container 11 is intended for use with the gel receiving surface in a substantially vertical position. It may be that additional means are provided within the channels 14 or recess to assist holding the gel therein. The container 11 may have a circumferential rim 16, the depth of which is greater than the depth of the gel receiving surface. This may assist in stabilising the container 11 in the base 12.

15

The gel receiving surface preferably provides an attractive pattern. Thus when the container 11 is filled with a gel composition, preferably of the type described in US-A-5780527, which is preferably strongly colored, the shape of the channels 14 is highlighted to give an attractive appearance. The gel preferably results from the cross-linking, in situ, of a homopolymer or co-polymer in the presence of a perfuming, deodorizing or insecticidal base. A suitable co-polymer is maleinised polybutadiene or polyisoprene such as Lithene N4-9000 10MA (Registered Trade Mark) obtainable from Revertex Limited. A suitable cross-linking agent, for example, is a diamine sold under the name Jeffamine 400 (Registered Trade Mark) obtainable from Huntsman Corp.

30

Suitable materials for the container 11 are APET, PETG, polypropylene or polyacrylonitrile as these have a

high degree of clarity, are easy to thermoform and are resistant to attack by perfume. Further materials may comprise polyethylene and nylon, although these tend to be translucent or of a milky appearance or PVC, polystyrene and styreneacrylonitrile, although these may be susceptible to fragrance attack.

The supporting base 12 can be of any suitable shape, such as being substantially wedge-shaped in cross-section and is provided with a slot 15 for receiving a portion of the container 11. The base 12 and slot 15 must be dimensioned appropriate to provide sufficient support for the container 11.

Alternatively, as shown in Figures 3 and 4 the container 11 can be formed unitarily with the supporting base 12, such that the container 11 incorporates a supporting base section which is shaped to provide support for the overall device 10. The supporting base may be shaped to have a section which extends rearwardly from the gel receiving surface with to provide a stable support. This also means that the thermoforming tool for the combined base and container and the processing requirements for the formation step are not complicated.

The device 10 according to the present invention is particularly advantageous in that its manufacture is fairly straightforward; the devices 10 are formed in a single step thermoforming process, then filled and sealed. All of these operations can be carried consecutively using known technology on a single automated production line.

The container 11 may conveniently be provided with a removable lid covering the gel receiving surface, in the form of a tear off plastic or foil cover, to protect the gel before use or prevent it from escaping. The cover may
5 be transparent to show the gel, or opaque or translucent. In the latter cases the cover may be printed, for example with instructions or trade marks or other information.

The air freshening or purifying device according to
10 the present invention is convenient not only because of its lightweight nature and ease of manufacture, but the nature of the materials from which it is made means that additional packaging materials are not necessary when the devices 10 are sold.

CLAIMS:

1. An air freshening or purifying device comprising a container which is thermoformed from a plastic material,
5 the container having an open side defining a gel receiving surface, which surface has therein a plurality of projections defining recesses therebetween for retaining a gel, said device further comprising a base located at a lower end of the container for supporting the container
10 such that the gel receiving surface is in a substantially vertical orientation.
2. An air freshening device or purifying device as claimed in claim 1 in which the supporting means comprise a
15 separate base having a slot for receiving at least a portion of the perimeter of the container.
3. An air freshening or purifying device as claimed in claim 1 in which the supporting means comprise a base
20 section of and integrally formed with the container.
4. An air freshening or purifying device as claimed in any one of the preceding claims in which the container is formed with a circumferential rim.
25
5. An air freshening or purifying device as claimed in claim 4 in which the rim has a width greater than the depth of the gel receiving surface.
- 30 6. An air freshening or purifying device as claimed in any one of the preceding claims further comprising a

removable cover applied to the container to cover the gel receiving surface.

7. An air freshening or purifying device as claimed in
5 claim 4 in which the removable cover is made from a foil material which is heat sealed to the container.

8. An air freshening or purifying device as claimed in
claim 6 in which the removable cover is made from a plastic
10 laminate which is heat sealed to the container.

9. An air freshening or purifying device as claimed in
any one of the preceding claims in which the container is
filled with a gel composition.

15



10. An air freshening or purifying device as claimed in
claim 8 in which the gel composition is a fragrance.

11. An air freshening or purifying device as claimed in
20 claim 8 in which the gel composition is an insecticide.

12. An air freshening or purifying device as claimed in
claim 8 in which the gel composition is an air purifying
composition.


25

13. An air freshening or purifying device substantially as
hereinbefore described with reference to and as shown in
the accompanying drawings.




2/3

FIG. 3.



3/3

FIG. 4.



INTERNATIONAL SEARCH REPORT

International Application No.

PCT/GB 03/01444

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61L9/12 A61L9/012 A61L9/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61L B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	WO 02 078750 A (CHANNER ROBERT VERN ; RECKITT BENCKISER UK LTD (GB)) 10 October 2002 (2002-10-10) page 8, line 17 - page 9, line 6; claims; figures	1,2,4, 6-12
X	US 5 788 155 A (ROSPLOCK JOSEPH M ET AL) 4 August 1998 (1998-08-04) column 3, line 15 - column 4, line 14; figures	1-4,6-12
Y	WO 00 24434 A (LEARY NICHOLAS O ; RECKITT & COLMANN PROD LTD (GB)) 4 May 2000 (2000-05-04) page 8, line 1 - page 14, line 15; figures	1-12
	-/--	

☒ Further documents are listed in the continuation of box C☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *S* document member of the same patent family

Date of the actual completion of the international search

8 August 2003

Date of mailing of the international search report

21/08/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2240, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Persichini, C.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/GB 03/01444

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 419 879 A (VLAHAKIS EFTICHIOS V ET AL) 30 May 1995 (1995-05-30) column 4, line 65 - column 6, line 65 -----	1-12
X	US 5 695 692 A (KENNEDY JAMES WALTER) 9 December 1997 (1997-12-09) column 4, lines 9-51; figure 1 -----	1,2,4, 9-12
X	US 4 476 171 A (TAKEUCHI KEINOSUKE) 9 October 1984 (1984-10-09) column 4, line 14 - column 6, line 8; figures -----	1,3,4, 9-12

INTERNATIONAL SEARCH REPORT

International application No.
PCT/GB 03/01444

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☒ Claims Nos.: 13
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.

3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 13

Claim 13 aims at defining a device with reference to the drawings accompanying the application. No specific structural features are mentioned. This renders the subject-matter for which protection is sought completely vague and unclear (Art.6 and Rule 6.2(a) PCT, so that, concerning this claim, no meaningful search is possible (Art. 17(2)b PCT).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 03/01444

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 02078750	A	10-10-2002	WO 02078750 A1	10-10-2002
			GB 2374805 A ,B	30-10-2002
US 5788155	A	04-08-1998	AT 204484 T	15-09-2001
			AU 719319 B2	04-05-2000
			AU 3579397 A	21-01-1998
			BR 9710078 A	10-08-1999
			CA 2259296 A1	08-01-1998
			CN 1226177 A	18-08-1999
			DE 69706310 D1	27-09-2001
			DE 69706310 T2	14-03-2002
			DK 923386 T3	03-12-2001
			EP 0923386 A1	23-06-1999
			ES 2161472 T3	01-12-2001
			JP 2001523119 T	20-11-2001
			KR 2000022289 A	25-04-2000
			NZ 333628 A	28-02-2000
			WO 9800179 A1	08-01-1998
WO 0024434	A	04-05-2000	AT 242645 T	15-06-2003
			AU 757804 B2	06-03-2003
			AU 6350999 A	15-05-2000
			BR 9914685 A	24-07-2001
			CA 2348079 A1	04-05-2000
			CN 1324253 T	28-11-2001
			DE 19983665 T0	08-11-2001
			DE 69908796 D1	17-07-2003
			DK 1121159 T3	14-07-2003
			EP 1304126 A1	23-04-2003
			EP 1121159 A1	08-08-2001
			WO 0024434 A1	04-05-2000
			GB 2350300 A	29-11-2000
			JP 2002528425 T	03-09-2002
			PL 347362 A1	08-04-2002
US 5419879	A	30-05-1995	US 5324490 A	28-06-1994
			CA 2102278 A1	03-05-1994
US 5695692	A	09-12-1997	EP 0722743 A2	24-07-1996
			GB 2297035 A ,B	24-07-1996
			JP 8229108 A	10-09-1996
US 4476171	A	09-10-1984	JP 1493720 C	20-04-1989
			JP 58155861 A	16-09-1983
			JP 63040541 B	11-08-1988
			GB 2123352 A ,B	01-02-1984